

羊抗兔 IgG(H+L)-Alexa Fluor® 488 标记

货号: DE0635-100μl; DE0635-1ml

批号: 134331

规格: 100μl; 1ml

浓度: 1.5 mg/ml

建议稀释范围: 大部分应用: 1:100 - 1:800

荧光团: Alexa Fluor®488 羧基

Amax=493; Emax=519

荧光团/蛋白吸光度比值: A493/A280 = 2.10

缓冲液: 0.01M 磷酸钠, 0.25M 氯化钠, pH 7.6, 50%甘油

稳定剂: 15 mg/ml 的牛血清白蛋白 (无 IgG 和蛋白酶)

防腐剂: 0.05%叠氮化钠

贮存温度: -20°C

保质期: 2年 (到期检测结果能满足预期用途的, 有效期可以延长)。

纯化方法: 本抗体是由偶联抗原的琼脂糖微球通过免疫亲和层析方法从抗血清纯化获得。

抗体特异性: 通过对抗体免疫电泳和酶联免疫方法的检测, 抗体与兔子 IgG 全长片段反应, 也能够与兔子其他免疫球蛋白的轻链反应, 在非免疫球蛋白的血清蛋白中无抗体检测出。抗体有可能与其他物种的免疫球蛋白交叉反应。

原产地: USA

注: 仅用于体外研究, 不能应用于诊断和治疗。该产品不属于医疗设备。



Beijing BioDee Biotechnology Co. Ltd
Tel: 010-62960866
Fax: 010-62975155
<http://www.biodee.net>
E-mail: biodee@126.com

Alexa Fluor® 488-conjugated AffiniPure Goat Anti-Rabbit IgG (H+L)

Code Number: DE0635-100µl; DE0635-1ml

Lot Number: 134331

Size: 100µl; 1ml

Antibody Concentration: 1.5 mg/ml

Suggested Dilution Range: 1:100 - 1:800 for most applications

Fluorophore: Alexa Fluor®488 carboxylic acid

A_{max}=493; E_{max}=519

Fluorophore/Protein Absorbance Ratio: A₄₉₃/A₂₈₀=2.10

Buffer: 0.01M Sodium Phosphate, 0.25M NaCl, pH 7.6, 50% glycerol

Stabilizer: 15 mg/ml Bovine Serum Albumin (IgG-Free, Protease-Free)

Preservative: 0.05% Sodium Azide

Storage: store at -20°C

Expiration date: two years . The expiration date may be extended if test results are acceptable for the intended use.

Purity: The antibody was purified from antisera by immunoaffinity chromatography using antigens coupled to agarose beads.

Antibody Specificity: Based on immunoelectrophoresis and/or ELISA, the antibody reacts with whole molecule rabbit IgG. It also reacts with the light chains of other rabbit immunoglobulins. No antibody was detected against non-immunoglobulin serum proteins. The antibody may cross-react with immunoglobulins from other species.

Country of Origin: USA

Note: For *in vitro* research use only, not for diagnostic or therapeutic use. This product is not a medical device.